




A140 FULLY RUGGED TABLET

- 14" FHD / HD LumiBond® 2.0 display with Getac sunlight readable technology for unprecedented viewing experience
- Dual battery design with LifeSupport™ battery swappable technology
- Enhanced security with TPM 2.0, RFID/NFC and fingerprint scanner
- Optional 1D/2D imager barcode reader and RFID
- Multi-function hard handle, hand straps and shoulder straps and slim-profile vehicle dock for maximum mobile productivity



A140 FULLY RUGGED TABLET

SPECIFICATIONS

Generation	G2
Operating System	Windows 10 Pro
Mobile Computing Platform	<p>Intel® Core™ i5-10210U Processor 1.6GHz Max. 4.2GHz with Intel® Turbo Boost Technology - 6MB Intel® Smart Cache</p> <p>Platform options:</p> <p>Intel® Core™ i5-10310U, vPro Processor 1.7GHz Max. 4.4GHz with Intel® Turbo Boost Technology - 6MB Intel® Smart Cache</p> <p>Intel® Core™ i7-10510U Processor 1.8GHz Max. 4.9GHz with Intel® Turbo Boost Technology - 8MB Intel® Smart Cache</p> <p>Intel® Core™ i7-10610U vPro Processor 1.8GHz Max. 4.9GHz with Intel® Turbo Boost Technology - 8MB Intel® Smart Cache</p>
VGA Controller	Intel® UHD Graphics
Display	<p>14" TFT LCD HD (1366 x 768) Protection film 1,000 nits LumiBond® display with Getac sunlight readable technology Capacitive multi-touch screen</p> <p>Optional: 14" IPS TFT LCD FHD (1920 x 1080) 800nits LumiBond® display with Getac sunlight readable technology and capacitive multi-touch screen</p>
Storage & Memory	<p>8GB DDR4 Optional: 16GB / 32GB DDR4 256GB PCIe NVMe SSD Optional: 512GB / 1TB PCIe NVMe SSD</p>
Keyboard	<p>Power button 7 tablet programmable buttons</p>
Pointing Device	<p>Touchscreen - Capacitive multi-touch screen</p>

A140 FULLY RUGGED TABLET

Expansion Slots	Optional: 1D/2D imager barcode reader Optional: Serial port, or HF RFID, or Fingerprint scanner, or HF RFID + Fingerprint scanner
I/O Interface	Audio in/out combo x 1 DC in Jack x 1 USB 2.0 x 1 USB 3.2 Gen 2 Type-A x 1 USB 3.2 Gen 1 Type-C x 1 HDMI 1.4 x 1 LAN(RJ45) x 1 Docking connector x 1 Optional: FHD webcam x 1 Optional: SIM card slot x 1 (Micro-SIM, 3FF) Optional: RF antenna pass-through for GPS, WWAN and WLAN Optional: 8M pixels auto focus rear camera x 1
Communication Interface	10/100/1000 base-T Ethernet x 1 Intel® Wi-Fi 6 AX201, 802.11ax Bluetooth (v5.2) ⁱ Optional: Dedicated GPS ⁱⁱ Optional: 4G LTE mobile broadband ⁱⁱⁱ
Security Feature	TPM 2.0 Kensington lock Optional: HF RFID Optional: Fingerprint reader Smart card reader
Power	AC adapter (65W, 100-240VAC, 50/60Hz) Li-ion smart battery (10.8V, typical 3220mAh; min. 3120mAh) x 2 LifeSupport™ battery swappable technology
Dimension	369 x 248 x 32.5mm (14.58" x 9.76" x 1.279") 2.3kg (5.07lbs) ^{iv}
Rugged Feature	MIL-STD-810H certified IP65 certified MIL-STD-461G certified ^v Vibration & 4ft (1.2m) drop resistant ^{vi} e-Mark certified for vehicle usage Optional: ANSI / ISA 121201

A140 FULLY RUGGED TABLET

Environmental Specification

Temperature ^{vii}:

- Operating: -29°C to 63°C / -20°F to 145°F
- Storage: -51°C to 71°C / -60°F to 160°F

Humidity:

- 95% RH , non-condensing

Pre-installed Software

Getac Utility
Getac Camera
Getac Geolocation
Getac Barcode Manager ^{viii}
Optional: Absolute Persistence[®]

Optional software

Getac Driving Safety Utility
Getac KeyWedge Barcode Reader Utility
Getac Device Monitoring System (GDMS)
Getac VGPS Utility ^{ix}

Accessories

Battery (10.8V, typical 3220mAh; min. 3120mAh)
AC adapter (65W, 100-240VAC)
Capacitive stylus with tether

Optional:

Carry bag
Battery (10.8V, typical 3220mAh; min. 3120mAh)
Multi-Bay charger (Dual-Bay)
Multi-Bay charger (Eight-Bay)
AC adapter (65W, 100-240VAC)
Office dock AC adapter (90W, 100-240VAC)
MIL-STD-461 certified AC adapter (90W, 115-230VAC)
DC-DC vehicle adapter (120W, 11-32VDC)
Capacitive stylus with tether
Protection film
Rotating hand strap with kickstand
Rubber hand strap
Shoulder strap (2-point)
Shoulder harness (4-point; handsfree)
Vehicle cradle
Vehicle dock
Office dock
100W Type-C adapter
Getac rugged keyboard

A140 FULLY RUGGED TABLET

Bumper-to-Bumper Warranty

Accidents can take your equipment out of service when you least expect it, especially in a rugged environment, which can cause costly equipment downtime.

That is why Getac has introduced accidental damage as standard under our Bumper-to-Bumper warranty, to help minimize your enterprise IT costs.

Bumper-to-Bumper is your hassle-free guarantee. That means you can depend on us to have your unit back in service within days.

Standard

3 years Bumper-to-Bumper

-
- I. Bluetooth performance and connectable distance may be subject to interference with the environments and performance on client devices, users may be able to reduce effects of interference by minimizing the number of active Bluetooth wireless devices that is operating in the area.
 - II. Supports GPS and Glonass.
 - III. Units with 4G LTE option comes with an embedded SIM card slot.
 - IV. Weight varies from configurations and optional accessories..
 - V. MIL-STD-461G 90W AC adapter sold separately.
 - VI. Drop test results vary from configurations and optional accessories.
 - VII. Tested by an independent third-party test lab following MIL-STD-810H.
 - VIII. Available when barcode reader option is selected.
 - IX. Models require either embedded or standalone GPS module.

Information provided herewith is for reference only, available specification shall be subjected to quotation by request.

A140 FULLY RUGGED TABLET

	Vehicle Dock	Office Dock
Serial Port	1	1
External VGA	1	-
Display Port	-	1
Microphone	1	1
Audio Output	1	1
DC in Jack	1	1
USB	4	3
LAN	1	1
HDMI 1.4	1	1
RF Antenna Connector	3 (WWAN, WLAN, GPS)	-
Printer Port	-	1

NOYA

NOYA BİLGİSAYAR SİSTEMLERİ VE DANIŞMANLIK SANAYİ VE TİCARET LTD. ŞTİ.

Tel. 0212 294 24 03 - 0850 399 66 92

Fax. 0212 294 06 88

info@noyabilgisayar.com

Adres

Hamidiye Mah. Soğuksu Cad. No:5

K:8 Kağıthane 34408, İstanbul